

ARCHITECTURAL LED TROFFERS





ECONOMICAL & HIGH PERFORMANCE

AMICA™ 2

QS RL

Designed for shallow plenum applications with a classic aesthetic. Even illumination and high efficiency at a competitive price point.



2x2 | 2x4



3.90" high for shallow plenum applications.


Easy maintenance with below ceiling access.



EQUATION™ 2

QS RL

Efficient with a sleek aesthetic, versatile mounting options and uniform diffuse illumination.



1x1 | 1x4 | 2x2 | 2x4



3.91" high for shallow plenum applications. Except 1x1 size.

Easy maintenance with below ceiling access.



MicroGlow™ lens option provides brightness control and visual comfort.



COMFORTABLE & FLEXIBLE

LUNA® LED

QS RL

Curved one-piece housing with perforated center basket and frosted side diffusers provide a soft and balanced appearance for exceptional visual comfort.




1x4 | 2x2 | 2x4

High angle uniform distribution with indirect glare-free illumination.

ZEPHYR™

RL

A non-directional luminaire with a unique design creating the impression of a floating bottom lens.



1x4 | 2x2

Dual lens optical solution controls brightness while maintaining high efficiency.



Hinged optical assembly allows for easy maintenance.



HIGH DESIGN

FACETTA

RL

A sharp angled lens inspired by the facets of a prism, a soft uniform glow creates visual appeal.



2x2



Allows for the creation of patterns to add texture and a hint of eclecticism to the ceiling plane.

Hinged optical assembly allows for easy maintenance with below ceiling access.



VAULT™

RL

Elevating the standard with soft rounded corners and a domed reflector.



2x2

Concealed indirect LEDs create symmetrical distribution and provide visual comfort.

NIVO®

RL

Playful and dynamic, infuse texture and pattern to ceiling planes with a solid or hollow drop-down lens.



2x2



Flush lens option in addition to drop diffuser up to 7" down from ceiling in 1" increments.



Hollow lens option.



	ECONOMICAL & HIGH PERFORMANCE		COMFORTABLE & FLEXIBLE		HIGH DESIGN		
	AMICA 2	EQUATION 2	LUNA LED	ZEPHYR	FACETTA	VAULT	NIVO
LUMEN OUTPUTS *2x4 outputs only **1x1 outputs only	2000 2500 3000 3500 4000 4500* 5000* 5500* 6000*	1000** 5500* 1500** 6000* 2000 6500* 2500 7000* 3000 7500* 3500 8000* 4000 8500* 4500 5000	2000 2500 3000 3500 4000* 4500* 5000* 5500*	1000 2000 2500 3000 3500 4000	1000 2000 2500 3000 3500 4000	1000 2000 2500 3000 3500 4000 4500	1000 1500 2000 2500 3000 3500 4000
CCT Additional CCTs available upon request	3000K - 4000K	3000K - 4000K	3000K - 4000K	2700K - 4000K	2700K - 4000K	2700K - 6500K	3000K - 4000K
HOUSING HEIGHT	3.90"	3.91" 4.77" (1x1)	5.03" 5.00" (1x4)	5.57" 5.21" (1x4)	5.42"	5.14"	5.07"
MOUNTING	Recessed Surface Suspended	Recessed Surface Suspended	Recessed Surface Suspended	Recessed	Recessed	Recessed	Recessed
SIZES	2x2, 2x4	1x1, 1x4, 2x2, 2x4	1x4, 2x2, 2x4	1x4, 2x2	2x2	2x2	2x2



@focalpointlight



@focalpointlights



Focal Point Lights



Quickship



Right Light