


# verve™ IV led

FV4LS




FOCAL POINT®

## FOCAL POINT




UNIVERSAL SUSPENSION SYSTEM - SHIPS SEPARATELY

OPTIONAL DUST COVER  
8.25" W (+/- .10")



## UNIT DESCRIPTION



## KEY



POWER OFF



POWER ON



LEVEL



ATTENTION







ADDITIONAL INSTRUCTIONS  
IS0166









KEEP LUMINAIRE IN ORIGINAL  
CARTON UNTIL READY TO INSTALL.  
DO NOT REST ON THE GROUND.




LOCKING SCREW ALLOWS FOR  
Y-CABLE ADJUSTMENT



Luminaires must be installed by a qualified electrician (check with local and national codes for proper installation).  
To prevent electrical shock, disconnect electrical supply before installation or servicing.







**DRIVER SERVICE**




Luminaires must be installed by a qualified electrician (check with local and national codes for proper installation).  
 To prevent electrical shock, disconnect electrical supply before installation or servicing.

# CONNECTED SOLUTIONS


## ACUITY nLIGHT




JOINED RUNS






JOINED RUNS







CONNECT CAT-5 CABLE



## WATTSTOPPER



Luminaires must be installed by a qualified electrician (check with local and national codes for proper installation).  
To prevent electrical shock, disconnect electrical supply before installation or servicing.



Contractor is responsible for adequately reinforcing walls and/or ceilings to support luminaire weight. Focal Point, LLC accepts no responsibility for inadequately reinforced walls and/or ceilings. The information contained in this drawing is the sole property of Focal Point, LLC. Any reproduction in part or whole without the written permission of Focal Point, LLC is prohibited.