




Quickship Guide

2017 Vol. 3



Index

Quickship Policies.....	2
Aerion® LED	3
Amica™ 2	4
Amica™ LED.....	5
Equation™ 2	6
Luna® LED.....	7
Avenue® B & 6 LED	8
Focus™ Wall Wash	9
Seem® 2, 4, 4-LP & 6 LED.....	10
Twelve™ LED	11
ID+ 3.5"	12
ID+ 3.5" Trimless	13
ID+ 4.5"	14
Avenue® A & B	15
Equation™	16
Luna®	17
Verve™ II & III.....	18
ID® CFL Housing	19



Quickship from Focal Point is a broad, made-to-order offering of some of your favorite architectural luminaires. We leverage our on-site manufacturing capabilities to deliver 5-day and 10-day day shipping programs for a wide range of options. Unlike a stock program, Quickship from Focal Point gives you the ability to satisfy tight project schedules without sacrificing quality or selection.

Quickship Policies

how to use this guide

The catalogued options shown on the enclosed pages represent the options that qualify for the Quickship program. Simply complete a catalog number using any of the shown options, and your order will qualify for Quickship processing. This guide contains ordering codes only, so please refer to the individual product cutsheets at www.focalpointlights.com for further details about each product.

quickship policies

If an order is received with both standard and Quickship line items, the Quickship items will be scheduled to ship separately unless otherwise instructed. Please indicate "SHIP COMPLETE" if you prefer all items ordered to ship with the longest lead time.

Estimated Ship Dates are determined per the following example: If a clean order is received by 11:00am CST on Monday for a 5-day item, the ESD for that item will be the following Monday. Orders received after 11am will receive an ESD based on the following business day.

order checklist

- ✔ Complete and correct catalog numbers
- ✔ Complete PO with proper terms
- ✔ Run lengths when required
- ✔ EM/EC locations and voltage when required

reminders

All ship dates are estimated. 5-day and 10-day lead times do not include weekends or holidays.

Consult factory for options or quantities not shown in this guide. Major projects with large quantities may not apply.

Partial shipments may be required based on current factory loads.

Change orders of any kind will affect lead time.

Aerion® LED

5-day and 10-day Quickship Configurations

luminaire style



standard options

specify your base luminaire

luminaire series	nominal size	shielding	lumen output	color temperature	circuit	voltage	driver	mounting
FARL	22	AC	2000L	30K	1C	120	LD1	F
			2500L	35K				G1
			3000L	40K				G2
			2500LH					G3
			3000LH					
			3500LH					
4000LH								
FARL	24	AC	4000L	30K	1C	120	LD1	F
			4500L	35K				G1
			5000L	40K				G2
			5500L					G3
			4000LH					
			4500LH					
			5000LH					
5500LH								
6000LH								

factory options

choose any/all listed factory options

air return	chicago plenum	flex whip	emergency battery pack	finish
AR	CP	FW	EM	matte satin white WH
AR	CP	FW	EM	WH

Terms: 5-day = 100 pieces or less.
10-day = 300 pieces or less.

Choose your specifications in each category and combine to determine a full catalog number.
Must provide voltage if EM specified.

Amica™ 2

5-day and 10-day Quickship Configurations

luminaire style



standard options

specify your base luminaire

luminaire series	nominal size	shielding	lumen output	color temperature	circuit	voltage	driver	mounting
FAM2	22	ACR	2000L	30K	1C	UNV	LD1	F
			2500L	35K				G
			3000L	40K				
			3500L					
			4000L					
			2000LH					
			2500LH					
			3000LH					
			3500LH					
			4000LH					
FAM2	24	ACR	4000L	30K	1C	UNV	LD1	F
			4500L	35K				G
			5000L	40K				
			5500L					
			6000L					
			4000LH					
			4500LH					
			5000LH					
			5500LH					
			6000LH					

factory options

choose any/all listed factory options

air return	chicago plenum	flex whip	emergency battery pack
AR	CP	FW	EM
AR	CP	FW	EM

finish

matte satin white
WH
WH

Terms: 5-day = 100 pieces or less.
10-day = 300 pieces or less.

Choose your specifications in each category and combine to determine a full catalog number.

Q Amica™ LED

5-day and 10-day Quickship Configurations

luminaire style



standard options

specify your base luminaire

luminaire series	nominal size	shielding	lumen output	color temperature	circuit	voltage	driver	mounting
FAML	22	ACR	2000L	30K	1C	120	LD1	F
			2500L	35K				G1
			3000L	40K				G2
			2500LH					G3
			3000LH					
			3500LH					
FAML	24	ACR	4000L	30K	1C	120	LD1	F
			4500L	35K				G1
			5000L	40K				G2
			5500L					G3
			4000LH					
			4500LH					
5000LH								
5500LH								
6000LH								

factory options

choose any/all listed factory options

air return	chicago plenum	flex whip	emergency battery pack	finish
AR	CP	FW	EM	matte satin white WH
AR	CP	FW	EM	WH

Terms: 5-day = 100 pieces or less.
10-day = 300 pieces or less.

Choose your specifications in each category and combine to determine a full catalog number.
Must provide voltage if EM specified.

Equation™ 2

5-day and 10-day Quickship Configurations

luminaire style



5
DAY
10
DAY



5
DAY
10
DAY



5
DAY
10
DAY

standard options

specify your base luminaire

luminaire series	nominal size	shielding	lumen output	color temperature	circuit	voltage	driver	mounting
FEQ2	14	AC MG	2500L	30K	1C	UNV*	LD1	F
			3000L	35K				G
			3500L	40K				ST
			4000L					SM
			4500L					C24
5000L		C48						
								C96
FEQ2	22	AC MG	2000L	30K	1C	UNV*	LD1	F
			2500L	35K				G
			3000L	40K				ST
			3500L					SM
			2500LH					C24
			3000LH					C48
			3500LH					C96
			4000LH					
			4500LH					
			5000LH					
FEQ2	24	AC MG	4000L	30K	1C	UNV*	LD1	F
			4500L	35K				G
			5000L	40K				ST
			5500L					SM
			4000LH					C24
			4500LH					C48
			5000LH					C96
			5500LH					
			6000LH					
			6500LH					
			7000LH					
			7500LH					
			8000LH					
8500LH								

factory options

choose any/all listed factory options

air return	chicago plenum	flex whip	emergency battery pack
AR	CP	FNY1 FNY2 FW	EM
AR	CP	FNY1 FNY2 FW	EM
AR	CP	FNY1 FNY2 FW	EM

finish

matte
satin white

WH

WH

WH


Terms: 5-day = 1'x4' - 50 pieces or less; 2'x2' & 2'x4' - 100 pieces or less.
 10-day = 1'x4' - 150 pieces or less; 2'x2' & 2'x4' - 300 pieces or less.
 *UNV 120/277

Choose your specifications in each category and combine to determine a full catalog number.

Q Luna[®] LED

5-day and 10-day Quickship Configurations

luminaire style



standard options

specify your base luminaire

luminaire series	nominal size	shielding	lumen output	color temperature	circuit	voltage	driver	mounting
FLUL	22	PS	2000L	30K	1C	120	LD1	F
			2500L	35K		277		G
			3000L	40K		UNV		ST
			3500L					
FLUL	24	PS	4000L	30K	1C	120	LD1	F
			4500L	35K		277		G
			5000L	40K		UNV		ST
			5500L					

factory options

choose any/all listed factory options

air return	chicago plenum	emergency battery pack	positional clips	flex whip
AR	CP	B310	EQ	FW

finish

matte
satin white

WH

Terms: 5-day = 100 pieces or less.
10-day = 300 pieces or less.

Choose your specifications in each category and combine to determine a full catalog number.
Must provide voltage if EM specified.

Q Avenue® B & 6 LED

10-day Quickship Configurations

luminaire style



standard options

specify your base luminaire

luminaire series	shielding	led output	color temperature	circuits	voltage	driver	ceiling configurations
FAVBL	CR SR FL	LL1 LL2	35K	1C	120 277	LD1	F G1, G2, G3, G4, G5 T1, T1T, T2, T2T, T4, T4T, T5, T5T, T6, T6T
FAVBTZL	CR SR FL	LL1 LL2	35K	1C	120 277	LD1	T5, T6
FAV6L compatible with Armstrong® TechZone®	CR SR FL	375LF 625LF 875LF 1000LF	35K	1C	120 277	LD1	F G1, G2, G3, G4, G5 T1, T2, T4, T5, T6

factory options

choose any/all listed factory options

chicago plenum	emergency battery pack	flex whip
CP	EM	FW
CP	EM	FW
CP	EM	FW

finish

matte satin white

WH

WH

WH

length

luminaire length

4'

4'

4'

Terms: 100 pieces or less.

Choose your specifications in each category and combine to determine a full catalog number.
Must provide voltage if EM specified.

Q Focus™ Wall Wash

10-day Quickship Configurations

luminaire style

Focus Wall Wash



10
DAY

standard options

specify your base luminaire

luminaire series	shielding	lumen output	color temperature	circuits	voltage	driver	mounting
FWSL	FL	250LF 450LF 650LF 800LF 950LF	30K 35K 40K	1C	UNV	LD1 L11	U

factory options

choose any/all listed factory options

air return	chicago plenum	flanged ends
AR	CP	FL

finish

matte white housing

WH

length

luminaire length

pattern options

Specify luminaire/row length in 1" increments (2' minimum length)

Quickship available following drawing approval. Consult factory for details.

Terms: 400' total.

Choose your specifications in each category and combine to determine a full catalog number.

Seem[®] 2, 4, 4-LP & 6 LED

10-day Quickship Configurations

luminaire style

Seem 2 LED



10
DAY

Seem 4-LP
LED



10
DAY

Seem 4 LED



10
DAY

Seem 6 LED



10
DAY

standard options

specify your base luminaire

luminaire series	shielding	led system	color temperature	circuits	voltage	driver	ceiling configurations
FSM2L	FL	125LF 250LF 375LF 625LF	30K 35K	1C	UNV	LD1	G1, G2, G3 T1, T2, TF XFF, XFN
FSM4LP	FL	275LF 375LF 625LF 875LF 1000LF	30K 35K 40K	1C	UNV	LD1 L11	G1, G2, G3 G4, G5, T2
FSM4L	FL	275LF 375LF 625LF 875LF 1000LF	30K 35K	1C	UNV	LD1	G1, G2, G3 T1, T2, TF XFF, XFN
FSM6L	FL	375LF 625LF 875LF 1000LF	30K 35K	1C	UNV	LD1	G1, G2, G3 T1, T2, TF XFF, XFN

factory options

choose any/all listed factory options

chicago plenum	emergency circuit	emergency battery pack	flex whip
CP	(n/a)	(n/a)	
CP	QEC	QEM	FNY1 FNY2 FW
CP	QEC	QEM	
CP	(n/a)	(n/a)	

finish

matte white housing

WH

WH

WH

WH

length

luminaire length

4'
8'
run lengths
in 4'
increments

4'
8'
run lengths
in 4'
increments

4'
8'
run lengths
in 4'
increments

4'
8'
run lengths
in 4'
increments

Terms: 400' total. Emergency battery located in last 4' section.

FSM4L - QEC/QEM available in 625LF, 875LF, and 1000LF ONLY; 24' maximum length.

Choose your specifications in each category and combine to determine a full catalog number.

Q Twelve™ LED

10-day Quickship Configurations

luminaire style



standard options

specify your base luminaire

luminaire series	shielding	lumen output	color temperature	circuits	voltage	driver	mounting
FTWLS	AC	750LF	30K	1C	UNV	LD1	J12
		875LF	35K				J24
		1000LF					J48
		1125LF					J96
		1250LF					

factory options

choose any/all listed factory options

dust cover	emergency circuit	emergency battery pack
DC	EC	EM

finish

TS
WH

length

luminaire length
4'
8'
12'
16'
20'
24'

Terms: 400' total. Emergency battery located in last 4' section.

Choose your specifications in each category and combine to determine a full catalog number.

luminaire style

downlight

3.5" aperture



5
DAY

downlight

3.5" x 3.5"



5
DAY

wall wash

3.5" aperture



5
DAY

wall wash

3.5" x 3.5"



5
DAY

housing ordering

housing series	trim type	lumen output	voltage	driver	housing type
FLC3D	RO	700L	120	L11	IC
		900L	277	LD1	T
		1100L			
		1300L			
		1500L			

housing series	trim type	lumen output	voltage	driver	housing type
FLC33D	SO	700L	120	L11	IC
		900L	277	LD1	T
		1100L			
		1300L			
		1500L			

housing series	trim type	lumen output	voltage	driver	housing type
FLC3W	RO	700L	120	L11	IC
		900L	277	LD1	T
		1100L			
		1300L			
		1500L			

housing series	trim type	lumen output	voltage	driver	housing type
FLC33W	SO	700L	120	L11	IC
		900L	277	LD1	T
		1100L			
		1300L			
		1500L			

factory options

choose any/all listed factory options

bar hangers chicago plenum emergency battery pack

BH CP EMR*

BH CP EMR*

BH CP (n/a)

BH CP (n/a)

trim ordering

trim aperture trim type lumen output color temperature distribution optic color flange finish

LC3	RO	700L	27K	NFL FL WFL	DNS	CD	NP WH
		900L	30K				
		1100L	35K				
		1300L					
		1500L					

LC33	SO	700L	27K	WFL	DNS	CD	WH
		900L	30K				
		1100L	35K				
		1300L					
		1500L					

LC3	RO	700L	30K	(n/a)	WWS	CD	NP WH
		900L	35K				
		1100L					
		1300L					
		1500L					

LC33	SO	700L	30K	(n/a)	WWS	CD	WH
		900L	35K				
		1100L					
		1300L					
		1500L					

Terms: FLC3D & FLC33D - 100 pieces or less; FLC3W & FLC33W - 30 pieces or less.
*Emergency battery pack with remote test switch.

Choose your specifications in each category and combine to determine a full catalog number.
Must provide voltage if EM specified.

Q ID+ 3.5" Trimless

5-day Quickship Configurations



luminaire style

downlight
3.5" aperture



5 DAY

downlight
3.5" x 3.5"



5 DAY

wall wash
3.5" aperture



5 DAY

wall wash
3.5" x 3.5"



5 DAY

housing ordering

housing series	trim type	lumen output	voltage	driver	housing type
FLC3D	RT	700L	120	L11	IC
		900L	277	LD1	T
		1100L			
		1300L			
		1500L			
FLC33D	ST	700L	120	L11	IC
		900L	277	LD1	T
		1100L			
		1300L			
		1500L			
FLC3W	RT	700L	120	L11	IC
		900L	277	LD1	T
		1100L			
		1300L			
		1500L			
FLC33W	ST	700L	120	L11	IC
		900L	277	LD1	T
		1100L			
		1300L			
		1500L			

factory options
choose any/all listed factory options

bar hangers	chicago plenum	emergency battery pack
BH	CP	EMR*
BH	CP	EMR*
BH	CP	(n/a)
BH	CP	(n/a)

trim ordering

trim aperture	trim type	lumen output	color temperature	distribution	optic	color
LC3	RT	700L	27K	NFL FL WFL	DNS	CD
		900L	30K			
		1100L	35K			
		1300L				
		1500L				
LC33	ST	700L	27K	WFL	DNS	CD
		900L	30K			
		1100L	35K			
		1300L				
		1500L				
LC3	RT	700L	30K	(n/a)	WWS	CD
		900L	35K			
		1100L				
		1300L				
		1500L				
LC33	ST	700L	30K	(n/a)	WWS	CD
		900L	35K			
		1100L				
		1300L				
		1500L				

Terms: FLC3D & FLC33D - 100 pieces or less; FLC3W & FLC33W - 30 pieces or less.
*Emergency battery pack with remote test switch.

Choose your specifications in each category and combine to determine a full catalog number.
Must provide voltage if EM specified.

Q ID+ 4.5"

5-day Quickship Configurations




luminaire style

downlight
4.5" aperture



5
DAY

downlight
4.5" x 4.5"



5
DAY

wall wash
4.5" aperture



5
DAY

wall wash
4.5" x 4.5"



5
DAY

housing ordering

housing series	trim type	lumen output	voltage	driver	housing type
FLC4D	RO	1000L 1500L 2000L 2500L	120 277	LD1	T
FLC44D	S0	1000L 1500L 2000L 2500L	120 277	LD1	T
FLC4W	RO	500L 1000L 1500L	120 277	LD1	T
FLC44W	S0	500L 1000L 1500L	120 277	LD1	T

factory options

choose any/all listed factory options

bar hangers	chicago plenum	emergency battery pack
BH	CP	EM
BH	CP	EM
BH	CP	EM
BH	CP	EM

trim ordering

trim aperture	trim type	lumen output	color temperature	optic	color	flange finish
LC4 LC4EM	RD	1000L 1500L 2000L 2500L	30K 35K	DN	CD	NP WP
LC44 LC44EM	SQ	1000L 1500L 2000L 2500L	30K 35K	DN	CD	WH
LC4 LC4EM	RD	500L 1000L 1500L	30K 35K	WW	CD	NP WP
LC44 LC44EM	SQ	500L 1000L 1500L	30K 35K	WW	CD	WH

Terms: FLC4D & FLC44D - 100 pieces or less; FLC4W & FLC44W - 50 pieces or less.

Choose your specifications in each category and combine to determine a full catalog number.
Must provide voltage if EM specified.

Q Avenue® A & B

10-day Quickship Configurations

luminaire style



standard options

specify your base luminaire

luminaire series	shielding	lamping	circuit	voltage	ballast	ceiling configurations
FAVA	NS RL	1T5 1T5H0	1C	120 277	S	F G1, G2, G3
FAVB	CR SR PL FL PW	1T5 1T5H0	1C	120 277	S	F G1, G2, G3

factory options

choose any/all listed factory options

chicago plenum	emergency battery pack	positional clips	hlr/blr fuse	flex whip
CP	EM	EQ	FU	FW

CP	EM	EQ	FU	FW
----	----	----	----	----

finish

matte satin white

WH

WH

length

luminaire length

4'

3'
4'

Terms: 100 pieces or less. Drywall yoke can ship in five days if required.

Choose your specifications in each category and combine to determine a full catalog number. Must provide voltage if EM specified.

Equation™

10-day Quickship Configurations

luminaire style



standard options

specify your base luminaire

luminaire series	nominal size	shielding	lamp quantity	lamp type	circuit	voltage	ballast	mounting
FEQ	14	AL	1	T8	1C	120	S	F
		WP	2	T5H0 T5	2C	277		G ST
FEQ	22	AL	1	BX40	1C	120	S	F
		WP	2	BX50	2C	277		G
			3	BX55				ST
				T5 T5H0 T8				
FEQ	24	AL	1	T5	1C	120	S	F
		WP	2	T5H0	2C	277		G
			3	T8				ST

factory options

choose any/all listed factory options

air return	chicago plenum	emergency battery pack	hlr/blr fuse	flex whip
AR	CP	EM	FU	FW
AR	CP	EM	FU	FW
AR	CP	EM	FU	FW

finish

matte
satin white

WH

WH

WH

Terms: 50 pieces or less.

Choose your specifications in each category and combine to determine a full catalog number.
Must provide voltage if EM specified.

Q Luna®

5-day and 10-day Quickship Configurations

luminaire style



standard options

specify your base luminaire

luminaire series	nominal size	shielding	lamp quantity	lamp type	circuit	voltage	ballast	mounting
FLU	14	PS	2	T8	1C	120	S	F
			3	T5 T5HO	2C (3 lamp)	277	G ST	
FLU	22	PS	2	BX40	1C	120 277	S	F G
FLU	22	PS	2	Bx40	1C	120	S	F
			3	T8 T5 T5HO	2C (3 lamp)	277	G ST	
FLU	24	PS	2 3	T8	1C 2C (3 lamp)	120 277	S	F G
FLU	24	PS	2	T8	1C	120	S	F
			3	T5 T5HO	2C (3 lamp)	277	G ST	

factory options

choose any/all listed factory options

air return	chicago plenum	emergency battery pack	positional clips	hlr/glr fuse	flex whip	matte satin white
AR	CP	EM	EQ	FU	FW	WH
(n/a)	(n/a)	EM	EQ	(n/a)	FW	WH
AR	CP	EM	EQ	FU	FW	WH
(n/a)	(n/a)	EM	EQ	(n/a)	FW	WH
AR	CP	EM	EQ	FU	FW	WH

finish

Terms: 300 pieces or less.

Choose your specifications in each category and combine to determine a full catalog number. Must provide voltage if EM specified.

Q Verve™ II & III

10-day Quickship Configurations

luminaire style



standard options

specify your base luminaire

luminaire series	shielding	lamping	circuit	voltage	ballast	mounting
FV2S	PS SL	2T5	1C	120	S	C24 C48 C96
		3T5	2C	277		
		1T5H0				
		2T5H0				
		3T5H0				
FV2W	PS SL	1T5	1C	120	S	WM
		1T5H0		277		
		2T5				
		2T5H0				
		1T8				
FV3S	PL	2T5	1C	120	S	C24 C48 C96
		3T5	2C	277		
		1T5H0				
		2T5H0				
		3T5H0				
		2T8				
3T8						

factory options

choose any/all listed factory options

dust cover	emergency circuit	emergency battery pack	hlr/blr fuse
DC	EC	EM	FU
DC	EC	EM	FU
DC	EC	EM	FU

finish

WH
TS

WH
TS

WH
TS

length

4'
8'
12'
16'
20'
24'

4'
8'
12'
16'
20'

4'
8'
12'
16'
20'
24'

Terms: FV2S & FV2W - 2500 linear feet or less; FV3S - 1500 linear feet or less.

*Longer run lengths available; consult factory for availability.

Choose your specifications in each category and combine to determine a full catalog number.

Must provide voltage if EM specified.

Q ID® CFL Housing

10-day Quickship Configurations

luminaire style

CFL housing*



10
DAY

standard options

specify your base luminaire

housing series	lamp	ballast	voltage	faceplate type	housing type
FC44	18TT	S	120	SF	T
	26TT		277	SO	
	32TT				

factory options


choose any/all listed factory options

bar hangers	chicago plenum	hlr/glr fuse
BH	CP	FU

Terms: 50 pieces or less. *Quickship available for Housings only. Standard lead time for trims is 4 weeks.

Choose your specifications in each category and combine to determine a full catalog number.

T H E
A R T O F
L I G H T

 @focalpointlight

 @focalpointlights

©2017 Focal Point LLC, 4141 S. Pulaski Road, Chicago, Illinois 60632
www.focalpointlights.com, T 773.247.9494

All rights reserved. Focal Point, The Art of Light, Aerion, Amica, Avenue, ChromaSure, Equation, Focus, ID, Luna, Seem, Twelve, Verve and the Light-Ray Graphic are trademarks or registered trademarks of Focal Point, LLC. Visit focalpointlights.com for specifications and other details on our entire Focal Point catalog.